

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---|------------------|---------|------------------|
| L1    | 0    | (search\$6 or find\$3 or locate or locating) near3 calsses!  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:02 |
| L2    | 1373 | (search\$6 or find\$3 or locate or locating) near3 classes!  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:43 |
| L3    | 706  | 2 and (classpath or (class adj path) or path or pathname or directory or folder)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:42 |
| L4    | 387  | 3 and (search\$6 or find\$3 or locate or locating) same (classpath or (class adj path) or path or pathname or directory or folder)     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:44 |
| L5    | 34   | 3 and (search\$6 or find\$3 or locate or locating) same (classpath or (class adj path) or path or pathname) same (directory or folder) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:19 |
| L6    | 6    | ("5187786" or "6519594" or "20020042833").pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:23 |
| L7    | 1    | 6 and wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:36 |
| L8    | 0    | 5 and wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:24 |
| L9    | 18   | 5 and API  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:36 |
| L10   | 10   | 9 and cach\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:26 |

|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| L11 | 0    | 9 and cach\$3 near2 differen\$5  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:25 |
| L12 | 0    | 9 and cach\$3 near2 (vary or variuos<br>differen\$5)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:26 |
| L13 | 1    | 5 and cach\$3 near2 (vary or variuos<br>differen\$5)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:26 |
| L14 | 56   | 4 and wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:42 |
| L15 | 53   | 14 and API   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:36 |
| L16 | 32   | 14 and API same wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:45 |
| L17 | 1    | 4 and wrapper same cach\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:45 |
| L18 | 324  | 2 and (classpath or (class adj<br>(directory or path)) or path) and<br>(directory or folder or hierarch\$5)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:43 |
| L19 | 2099 | (search\$6 or find\$3 or locate or<br>locating or request\$3) near3<br>classes!                              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:11 |
| L20 | 551  | 19 and (classpath or (class adj<br>(directory or path)) or path) and<br>(directory or folder or hierarch\$5) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:44 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| L21 | 334 | 20 and (search\$6 or find\$3 or locate or locating or request\$4) same (classpath or (class adj (directory or path)) or path)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:44 |
| L22 | 205 | 20 and (search\$6 or find\$3 or locate or locating or request\$4) with (classpath or (class adj (directory or path)) or path)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:45 |
| L23 | 182 | 20 and (search\$6 or find\$3 or locate or locating or request\$4) near9 (classpath or (class adj (directory or path)) or path) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:45 |
| L24 | 1   | 23 and wrapper same cach\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:53 |
| L25 | 0   | 23 and API same wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:53 |
| L26 | 19  | 23 and API same cach\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:46 |
| L27 | 91  | 19 and API same cach\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:47 |
| L28 | 37  | 19 and API same wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:47 |
| L29 | 32  | 28 and API same cach\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:49 |
| L30 | 62  | 19 and (creat\$5 or generat\$5 or construct\$6 or construe\$6 or implement\$6 or build\$6) near3 wrapper                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:52 |

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| L31 | 1676 | (creat\$5 or generat\$5 or construct\$6 or construe\$6 or implement\$6 or build\$6) near2 wrapper | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:53 |
| L32 | 190  | 31 and API same wrapper   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:53 |
| L33 | 19   | 32 and wrapper same cach\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:53 |
| L34 | 55   | 19 and wrapper and API and caches!  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:57 |
| L35 | 55   | 19 and wrapper and API and caches! and classes!   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:58 |
| L36 | 54   | 19 and wrapper and API and caches! and classes! and java  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:58 |
| L37 | 1    | 36 and zip adj file   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:58 |
| L38 | 1373 | (search\$6 or find\$3 or locate or locating) near3 classes!                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:03 |
| L39 | 993  | (search\$6 or find\$3 or locate or locating) near2 classes!                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:03 |
| L40 | 7    | 39 and (zip adj file)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |

|     |     |                                       |   |    |    |                  |
|-----|-----|---------------------------------------|---|----|----|------------------|
| L41 | 7   | 40 and java adj class                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |
| L42 | 611 | (zip adj file)                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |
| L43 | 104 | 42 and java adj class                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |
| L44 | 98  | 43 and classes!                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |
| L45 | 32  | 44 and wrapper                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:14 |
| L46 | 28  | 44 and wrapper and api                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:06 |
| L47 | 7   | 44 and wrapper and api and<br>caches! | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |
| L48 | 32  | 44 and (wrapp\$4)                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:05 |
| L49 | 28  | 48 and API                            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:08 |
| L50 | 21  | 49 and cach\$3                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:08 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| L51 | 1   | 50 and (search\$6 or find\$3 or locate or locating or request\$3) near3 classes!                               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:11 |
| L52 | 21  | 50 and (search\$6 or find\$3 or locate or locating or request\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:11 |
| L53 | 14  | 50 and (search\$6 or find\$3 or locate or locating or request\$3) near3 (directory or folder or class or path) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:12 |
| L54 | 21  | 50 and (search\$6 or find\$3 or locate or locating or request\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:12 |
| L55 | 28  | 43 and wrapp\$4 and API  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:21 |
| L56 | 8   | 43 and wrapp\$4 same API   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:15 |
| L57 | 5   | 55 and pars\$6 near4 (class or path or directory or folder)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:19 |
| L58 | 113 | 19 and pars\$6 near4 (class or path or directory or folder)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:19 |
| L59 | 6   | 19 and pars\$6 near2 (classpath or path or directory or folder)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:20 |
| L60 | 12  | 19 and (pars\$6 or decompos\$5 or divid\$4) near2 (classpath or path or directory or folder)                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:21 |

|     |       |   |   |    |    |                  |
|-----|-------|---|---|----|----|------------------|
| L61 | 11398 | (pars\$6 or decompos\$5 or divid\$4)<br>near2 (classpath or path or<br>directory or folder) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:21 |
| L62 | 27    | 61 and wrapp\$4 and API   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:23 |
| L63 | 14    | 62 and class  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:23 |
| L64 | 13    | 62 and classes!   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:23 |

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L1    | 20   | ("20020095661" or "20020007357" or "6760903" or "6654765" or "6519594" or "6430570" or "6314558" or "6216152" or "6169992" or "5987256" or "5187786").pn. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 14:41 |
| L2    | 3    | 1 and (find\$3 or locating or locate) near2 class   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 14:49 |
| L3    | 0    | 2 and 9wrapp\$4 and API and cach\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 14:43 |
| L4    | 0    | 1 and 9wrapp\$4 and API and cach\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 14:43 |
| L5    | 2    | 1 and wrapp\$4 and API and cach\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 14:44 |
| L6    | 12   | 1 and java near6 class  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 14:44 |
| L7    | 3    | 6 and zip adj file  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 14:44 |
| L8    | 3    | 7 and (wrapp\$4 or API or cach\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 14:45 |
| L9    | 3    | 7 and wrapp\$4 and (API or cach\$3)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 14:46 |



|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| L10 | 1    | 7 and wrapp\$4 and (API and cach\$3)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:46 |
| L11 | 3    | 7 and wrapp\$4 and API   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:50 |
| L12 | 3    | 11 and (find\$3 or locating or locate)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:47 |
| L13 | 1855 | (find\$3 or locating or locate) near2 class  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:59 |
| L14 | 0    | 13 and load43 near2 class  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:49 |
| L15 | 357  | 13 and load\$3 near2 class   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:49 |
| L16 | 38   | 15 and wrapp\$4 and API  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 15:00 |
| L17 | 4    | 15 and ((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4) and (wrapp\$6 same API) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:54 |
| L18 | 25   | 15 and ((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4) and (wrapp\$6 and API)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:59 |
| L19 | 0    | 1 and ((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4) and (wrapp\$6 and API)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:59 |

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| L20 | 0    | 1 and ((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4)                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:59 |
| L21 | 4850 | ((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4)                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 15:05 |
| L22 | 78   | 21 and (find\$3 or locating or locate) near2 class  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 15:02 |
| L23 | 41   | 22 and wrapp\$4 and API and caches!   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 15:01 |
| L24 | 41   | 22 and wrapp\$4 and API and cach  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 15:01 |
| L25 | 45   | 22 and wrapp\$4 and API and cach\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 15:06 |
| L26 | 65   | 21 and (find\$3 or locating or locate) adj2 class   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 15:03 |
| L27 | 849  | (find\$3 or locating or locate) near class  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 15:03 |
| L28 | 127  | 27 and (classpath or (class adj (path or directory or folder)) or (class near4 (library or directory or path or folder))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 15:05 |
| L29 | 2    | 28 and ((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4)                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 15:05 |

|     |   |  |   |    |    |                  |
|-----|---|--|---|----|----|------------------|
| L30 | 4 | 28 and wrapp\$4 and API and<br>cach\$3 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 15:06 |
|-----|---|--|---|----|----|------------------|

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---|------------------|---------|------------------|
| L1    | 0    | (search\$6 or find\$3 or locate or locating) near3 calsses!  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:02 |
| L2    | 1373 | (search\$6 or find\$3 or locate or locating) near3 classes!  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:43 |
| L3    | 706  | 2 and (classpath or (class adj path) or path or pathname or directory or folder)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:42 |
| L4    | 387  | 3 and (search\$6 or find\$3 or locate or locating) same (classpath or (class adj path) or path or pathname or directory or folder)     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:44 |
| L5    | 34   | 3 and (search\$6 or find\$3 or locate or locating) same (classpath or (class adj path) or path or pathname) same (directory or folder) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:19 |
| L6    | 6    | ("5187786" or "6519594" or "20020042833").pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:23 |
| L7    | 1    | 6 and wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:36 |
| L8    | 0    | 5 and wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:24 |
| L9    | 18   | 5 and API  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:36 |
| L10   | 10   | 9 and cach\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 13:26 |

|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| L11 | 0    | 9 and cach\$3 near2 differen\$5  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:25 |
| L12 | 0    | 9 and cach\$3 near2 (vary or variuos<br>differen\$5)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:26 |
| L13 | 1    | 5 and cach\$3 near2 (vary or variuos<br>differen\$5)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:26 |
| L14 | 56   | 4 and wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:42 |
| L15 | 53   | 14 and API   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:36 |
| L16 | 32   | 14 and API same wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:45 |
| L17 | 1    | 4 and wrapper same cach\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:45 |
| L18 | 324  | 2 and (classpath or (class adj<br>(directory or path)) or path) and<br>(directory or folder or hierarch\$5)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:43 |
| L19 | 2099 | (search\$6 or find\$3 or locate or<br>locating or request\$3) near3<br>classes!                              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:11 |
| L20 | 551  | 19 and (classpath or (class adj<br>(directory or path)) or path) and<br>(directory or folder or hierarch\$5) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:44 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| L21 | 334 | 20 and (search\$6 or find\$3 or locate or locating or request\$4) same (classpath or (class adj (directory or path)) or path)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:44 |
| L22 | 205 | 20 and (search\$6 or find\$3 or locate or locating or request\$4) with (classpath or (class adj (directory or path)) or path)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:45 |
| L23 | 182 | 20 and (search\$6 or find\$3 or locate or locating or request\$4) near9 (classpath or (class adj (directory or path)) or path) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:45 |
| L24 | 1   | 23 and wrapper same cach\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:53 |
| L25 | 0   | 23 and API same wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:53 |
| L26 | 19  | 23 and API same cach\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:46 |
| L27 | 91  | 19 and API same cach\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:47 |
| L28 | 37  | 19 and API same wrapper  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:47 |
| L29 | 32  | 28 and API same cach\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:49 |
| L30 | 62  | 19 and (creat\$5 or generat\$5 or construct\$6 or construe\$6 or implement\$6 or build\$6) near3 wrapper                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:52 |

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| L31 | 1676 | (creat\$5 or generat\$5 or construct\$6 or construe\$6 or implement\$6 or build\$6) near2 wrapper | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:53 |
| L32 | 190  | 31 and API same wrapper   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:53 |
| L33 | 19   | 32 and wrapper same cach\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:53 |
| L34 | 55   | 19 and wrapper and API and caches!  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:57 |
| L35 | 55   | 19 and wrapper and API and caches! and classes!   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:58 |
| L36 | 54   | 19 and wrapper and API and caches! and classes! and java  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:58 |
| L37 | 1    | 36 and zip adj file   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 13:58 |
| L38 | 1373 | (search\$6 or find\$3 or locate or locating) near3 classes!                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:03 |
| L39 | 993  | (search\$6 or find\$3 or locate or locating) near2 classes!                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:03 |
| L40 | 7    | 39 and (zip adj file)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |

|     |     |                                       |   |    |    |                  |
|-----|-----|---------------------------------------|---|----|----|------------------|
| L41 | 7   | 40 and java adj class                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |
| L42 | 611 | (zip adj file)                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |
| L43 | 104 | 42 and java adj class                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |
| L44 | 98  | 43 and classes!                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |
| L45 | 32  | 44 and wrapper                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:05 |
| L46 | 28  | 44 and wrapper and api                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:06 |
| L47 | 7   | 44 and wrapper and api and<br>caches! | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:04 |
| L48 | 32  | 44 and (wrapp\$4)                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:05 |
| L49 | 28  | 48 and API                            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:08 |
| L50 | 21  | 49 and cach\$3                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:08 |



|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| L51 | 1  | 50 and (search\$6 or find\$3 or locate or locating or request\$3) near3 classes!                               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:11 |
| L52 | 21 | 50 and (search\$6 or find\$3 or locate or locating or request\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:11 |
| L53 | 14 | 50 and (search\$6 or find\$3 or locate or locating or request\$3) near3 (directory or folder or class or path) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:12 |
| L54 | 21 | 50 and (search\$6 or find\$3 or locate or locating or request\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 14:12 |

| Ref # | Hits  | Search Query                             | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|-------|--|---|------------------|---------|------------------|
| L1    | 24    | (API same (code or module) same caches!) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 15:47 |
| L2    | 32669 | 1 and class or Java                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 15:47 |
| L3    | 13    | 1 and (class or Java)                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 15:48 |
| L4    | 3574  | java with classes!                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 15:48 |
| L5    | 98    | 4 and wrapp\$4 and API and caches!       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 15:48 |
| L6    | 46    | 4 and (wrapp\$4 same API) and caches!    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 15:49 |
| L7    | 0     | 4 and (wrapp\$4 same API) same caches!   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 15:48 |